



(12) **United States Patent**
Shuster

(10) **Patent No.:** **US 11,061,971 B2**
(45) **Date of Patent:** **Jul. 13, 2021**

(54) **METHOD AND APPARATUS FOR
PHOTOGRAPH FINDING**

(71) Applicant: **Intellectual Ventures I LLC**,
Wilmington, DE (US)

(72) Inventor: **Gary Stephen Shuster**, Fresno, CA
(US)

(73) Assignee: **Intellectual Ventures I LLC**,
Wilmington, DE (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **17/020,671**

(22) Filed: **Sep. 14, 2020**

(65) **Prior Publication Data**
US 2020/0410015 A1 Dec. 31, 2020

Related U.S. Application Data

(63) Continuation of application No. 16/105,876, filed on
Aug. 20, 2018, now Pat. No. 10,776,430, which is a
continuation of application No. 15/481,595, filed on
Apr. 7, 2017, now Pat. No. 10,055,497, which is a
continuation of application No. 14/518,655, filed on
Oct. 20, 2014, now Pat. No. 9,619,486, which is a
continuation of application No. 13/776,463, filed on
(Continued)

(51) **Int. Cl.**
G06F 16/951 (2019.01)
G06F 16/50 (2019.01)
G06F 16/58 (2019.01)
G06F 16/583 (2019.01)
G06K 9/62 (2006.01)

(52) **U.S. Cl.**
CPC **G06F 16/951** (2019.01); **G06F 16/50**
(2019.01); **G06F 16/58** (2019.01); **G06F**
16/583 (2019.01); **G06F 16/5838** (2019.01);
G06F 16/5854 (2019.01); **G06K 9/6201**
(2013.01); **Y10S 707/99933** (2013.01); **Y10S**
707/99936 (2013.01)

(58) **Field of Classification Search**
CPC G06K 9/0061; G06K 9/0063; G06K
9/00664; G06K 9/00771; G06T
2207/10032; G06T 7/73
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS


5,280,530 A 1/1994 Trew et al.
5,748,904 A 5/1998 Huang et al.
(Continued)

Primary Examiner — Yosef Kassa
(74) *Attorney, Agent, or Firm* — Kowert, Hood, Munyon,
Rankin & Goetzel, P.C.

(57) **ABSTRACT**

Digital image data including discrete photographic images
of a variety of different subjects, times, and so forth, are
collected and analyzed to identify specific features in the
photographs. In an embodiment of the invention, distinctive
markers are distributed to aid in the identification of par-
ticular subject matter. Facial recognition may also be
employed. The digital image data is maintained in a database
and queried in response to search requests. The search
requests include criteria specifying any feature category or
other identifying information, such as date, time, and loca-
tion that each photograph was taken, associated with each
photograph. Candidate images are provided for review by
requesters, who may select desired images for purchase or
downloading.

20 Claims, 2 Drawing Sheets



Related U.S. Application Data

Feb. 25, 2013, now Pat. No. 8,867,798, which is a continuation of application No. 13/090,026, filed on Apr. 19, 2011, now Pat. No. 8,385,691, which is a continuation of application No. 12/874,929, filed on Sep. 2, 2010, now Pat. No. 7,929,810, which is a continuation of application No. 12/325,589, filed on Dec. 1, 2008, now Pat. No. 7,844,141, which is a continuation of application No. 11/056,699, filed on Feb. 10, 2005, now Pat. No. 7,460,737.

- (60) Provisional application No. 60/544,570, filed on Feb. 12, 2004.

References Cited

U.S. PATENT DOCUMENTS

- | | | | | | |
|----------------|---------|------------------------------|----------------|---------|-------------------------------|
| 5,793,371 A | 8/1998 | Deering | 7,259,785 B2 | 8/2007 | Stavely et al. |
| 5,835,244 A | 11/1998 | Bestmann | 7,266,544 B1 | 9/2007 | Dodge et al. |
| 5,848,410 A | 12/1999 | Walls et al. | 7,286,723 B2 | 10/2007 | Taugher et al. |
| 5,912,980 A | 6/1999 | Hunke | 7,286,871 B2 | 10/2007 | Cohen |
| 5,926,647 A | 7/1999 | Adams et al. | 7,287,253 B2 | 10/2007 | Yamamura et al. |
| 5,926,812 A | 7/1999 | Hilsenrath et al. | 7,298,931 B2 | 11/2007 | Kim et al. |
| 6,094,649 A | 7/2000 | Bowen et al. | 7,302,057 B2 | 11/2007 | Rotholtz et al. |
| 6,353,840 B2 | 3/2002 | Saito et al. | 7,308,550 B2 | 12/2007 | Cornett |
| 6,397,213 B1 | 5/2002 | Cullen et al. | 7,319,780 B2 | 1/2008 | Fedorovskaya et al. |
| 6,421,675 B1 | 7/2002 | Ryan et al. | 7,333,963 B2 | 2/2008 | Widrow et al. |
| 6,424,587 B1 | 7/2002 | Hosoda | 7,346,631 B2 | 3/2008 | Amirghodsi |
| 6,530,944 B2 | 3/2003 | West et al. | 7,356,512 B2 | 4/2008 | Okita et al. |
| 6,557,102 B1 * | 4/2003 | Wong G16H 30/20 | 7,359,535 B2 | 4/2008 | Salla et al. |
| | | 713/176 | 7,366,994 B2 | 4/2008 | Loui |
| 6,564,214 B1 | 5/2003 | Bhide | 7,379,627 B2 | 5/2008 | Li et al. |
| 6,608,923 B1 | 8/2003 | Zhang et al. | 7,382,903 B2 | 6/2008 | Ray |
| 6,654,758 B1 | 11/2003 | Teague | 7,388,693 B2 | 6/2008 | Ahmed et al. |
| 6,658,408 B2 | 12/2003 | Yano et al. | 7,418,116 B2 | 8/2008 | Fedorovskaya et al. |
| 6,690,828 B2 | 2/2004 | Meyers | 7,428,744 B1 | 9/2008 | Ritter |
| 6,738,653 B1 | 5/2004 | Sfez et al. | 7,440,594 B2 | 10/2008 | Takenaka |
| 6,772,150 B1 | 8/2004 | Whitman et al. | 7,447,353 B2 * | 11/2008 | Diederichs B41F 33/0036 |
| 6,778,697 B1 | 8/2004 | Shin et al. | | | 382/165 |
| 6,792,434 B2 | 9/2004 | Moghaddam et al. | 7,467,160 B2 * | 12/2008 | McIntyre G07F 17/0014 |
| 6,873,806 B2 | 3/2005 | Kobayashi et al. | 7,474,808 B2 | 1/2009 | Ozaki et al. |
| 6,894,494 B2 | 5/2005 | Stergiopoulos et al. | 7,499,916 B2 | 3/2009 | Liu et al. |
| 6,898,582 B2 | 5/2005 | Lange | 7,555,148 B1 | 6/2009 | Steinberg et al. |
| 6,919,892 B1 | 7/2005 | Cheiky | 7,562,299 B2 | 7/2009 | Millar et al. |
| 6,944,319 B1 * | 9/2005 | Huang G06K 9/00288 | 7,564,994 B1 | 7/2009 | Steinberg et al. |
| | | 382/118 | 7,580,985 B2 * | 8/2009 | Motoyama G06F 3/1204 |
| 6,963,663 B1 | 11/2005 | Yoshida | | | 709/208 |
| 6,975,418 B1 | 12/2005 | Ohta et al. | 7,583,294 B2 | 9/2009 | Ray et al. |
| 6,982,811 B2 | 1/2006 | Sato | 7,596,247 B2 | 9/2009 | Ioffe |
| 7,006,881 B1 | 2/2006 | Hoffberg | 7,609,864 B2 | 10/2009 | Nagasaka et al. |
| 7,027,054 B1 | 4/2006 | Cheiky et al. | 7,639,898 B1 | 12/2009 | Chan |
| 7,031,555 B2 * | 4/2006 | Troyanker G06K 9/00624 | 7,660,445 B2 | 2/2010 | Ray |
| | | 382/305 | 7,706,633 B2 | 4/2010 | Chefd'hotel et al. |
| 7,110,996 B2 | 9/2006 | Kawamura | 7,711,145 B2 | 5/2010 | Gallagher |
| 7,112,806 B2 | 9/2006 | Lussier | 7,715,659 B2 | 5/2010 | Zhao et al. |
| 7,140,535 B2 | 11/2006 | Sussman | 7,813,822 B1 | 10/2010 | Hoffberg |
| 7,171,058 B2 | 1/2007 | Luo | 7,843,495 B2 | 11/2010 | Aas et al. |
| 7,174,332 B2 | 2/2007 | Baxter et al. | 7,860,320 B2 | 12/2010 | Luo et al. |
| 7,181,480 B1 | 2/2007 | Nikiel et al. | 7,881,506 B2 | 2/2011 | Nagasaka et al. |
| 7,184,814 B2 | 2/2007 | Lang et al. | 7,921,020 B2 | 4/2011 | Kalies |
| 7,209,653 B2 * | 4/2007 | Umeda G06Q 30/06 | 7,941,197 B2 | 5/2011 | Jain et al. |
| | | 355/40 | 7,941,442 B2 | 5/2011 | Li |
| 7,231,243 B2 | 6/2007 | Tearney et al. | 7,991,194 B2 * | 8/2011 | Kim H04L 67/18 |
| 7,233,684 B2 | 6/2007 | Fedorovskaya et al. | | | 382/103 |
| 7,236,264 B2 | 6/2007 | Kanno | 8,005,272 B2 | 8/2011 | Grim, III et al. |
| | | | 8,010,555 B2 * | 8/2011 | Eichhorn G06F 16/148 |
| | | | | | 707/770 |
| | | | 8,064,650 B2 | 11/2011 | Webb |
| | | | 8,065,611 B1 | 11/2011 | Chan et al. |
| | | | 8,150,584 B2 | 4/2012 | Mackin et al. |
| | | | 8,199,979 B2 | 6/2012 | Steinberg et al. |
| | | | 8,209,330 B1 * | 6/2012 | Covell G06F 16/951 |
| | | | | | 707/728 |
| | | | 8,224,849 B2 | 7/2012 | Li |
| | | | 8,316,237 B1 | 11/2012 | Felsher |
| | | | 8,374,466 B2 | 2/2013 | Webb |
| | | | 8,460,103 B2 | 6/2013 | Mattice et al. |
| | | | 8,531,474 B2 | 9/2013 | Chang et al. |
| | | | 8,543,573 B2 | 9/2013 | MacPherson |
| | | | 8,583,263 B2 | 11/2013 | Hoffberg |
| | | | 8,788,493 B2 * | 7/2014 | Stallings H04N 5/23293 |
| | | | | | 707/736 |
| | | | 9,098,584 B1 * | 8/2015 | Fredinburg G06F 16/532 |

* cited by examiner




FIG. 1




FIG. 2

1

METHOD AND APPARATUS FOR PHOTOGRAPH FINDING

CROSS-REFERENCE TO RELATED APPLICATIONS

The present application is a continuation of U.S. application Ser. No. 16/105,876, filed Aug. 20, 2018, which is a continuation of U.S. application Ser. No. 15/481,595, filed Apr. 7, 2017, which is a continuation of U.S. application Ser. No. 14/518,655, filed Oct. 20, 2014 (now U.S. Pat. No. 9,619,486), which is a continuation of application Ser. No. 13/776,463, filed Feb. 25, 2013 (now U.S. Pat. No. 8,867,798), which is a continuation of U.S. application Ser. No. 13/090,026, filed Apr. 19, 2011 (now U.S. Pat. No. 8,385,691), which is a continuation of U.S. application Ser. No. 12/874,929, filed Sep. 2, 2010 (now U.S. Pat. No. 7,929,810), which is a continuation of U.S. application Ser. No. 12/325,589, filed Dec. 1, 2008 (now U.S. Pat. No. 7,844,141), which is a continuation of U.S. application Ser. No. 11/056,699, filed Feb. 10, 2005 (now U.S. Pat. No. 7,460,737), which claims priority to U.S. Provisional Appl. No. 60/544,570, filed Feb. 12, 2004; the disclosures of each of the above-referenced applications are incorporated by reference herein in their entireties.

BACKGROUND OF THE INVENTION

Field of the Invention

Photography has transformed how people conceive of the world. Photographs allow people to see all sorts of things that are actually many miles away and/or years preceding. Photography lets people capture moments in time and preserve them for years to come.

Often people at a public place notice that a stranger has taken a photograph of which they would love to have a copy. Alternatively, after going somewhere, a person may bemoan the fact that he did not have a photograph of the event (in the present context, photograph also includes video, audio, or other representation).

A need exists, therefore, to provide a method and apparatus for identifying and connecting people with photographs they want. In addition, there is a need to provide a method and apparatus for characterizing errant photographs stored on computer databases that makes use of a variety of attributes to reliably characterize photographs in such a way as to reduce the amount of manual review necessary to identify and connect people with the photographs they want.

SUMMARY OF THE INVENTION

The present invention provides a method and apparatus that matches people with photographs in which they accidentally (or purposely) appear or with photographs of events they have attended.

Specifically, in one embodiment, a web site is created with a database backend. The database is seeded with information provided by (1) the photographer; (2) recovering metadata from the photograph; (3) reading devices such as a Global Positioning System (GPS) device; (4) referencing the account data of the photographer (i.e., account number, photographer's zip code or area code, etc.); (5) analyzing the photograph (i.e., computer recognizes eye color, optical character recognizes any text found in the photograph, recognizes the number of persons, the gender of persons, the hair color, the time of day by optical character recognizing

2

any clocks in the photograph or analyzing the lighting conditions, the weather, etc.); (6) photograph quality information; and/or (7) any other information.

A user looking for a photograph would visit the web site and search for certain criteria. The user is then provided with a gallery of thumbnails that match the criteria. When the user identifies a photograph he wants to own, he can then download the full quality version, or order print(s). In a preferred implementation, the user is charged some amount of money that is split between the site owner and the photographer. Alternatively, the user may be charged in some other way, such as by viewing advertisements or by exchanging credits for downloads or by some other payment or a combination thereof.

A more complete understanding of the present invention will be afforded to those skilled in the art, as well as a realization of additional advantages and objects thereof, by a consideration of the following detailed description of the preferred embodiments.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a flow diagram showing exemplary steps of a method according to the invention.

FIG. 2 is a diagram showing an exemplary distinctive marker for photographic data.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention provides a method and apparatus that matches people with photographs in which they accidentally (or purposely) appear or with photographs of events they have attended.

FIG. 1 illustrates exemplary steps of a method according to the invention. At optional step 102, distinctive markers may be distributed to persons desiring to contribute photographic images to a database. The markers may comprise, for example, distinctive bins, badges, or stickers for placing on objects to be photographed. The markers should be designed so as to be easily recognized using automatic recognition algorithms, but should not be too conspicuous.

At step 104, image data is collected from a variety of sources. It may be desirable to accept material from as many sources as possible, to increase the number of images available for browsing. Optionally, images may be accepted from qualified sources only.

At step 104, source information regarding each photograph is collected. For example, at step 108, the image provider may be asked for information, such as the time and date of the photograph, the subject matter, location, photographer, etc. Image metadata may also be read to obtain such information. Other ways of associating images to identifying information may include, for example, reading devices such as a Global Positioning System (GPS) device attached to a camera or other image capture device, or by referencing account data of the image contributor (e.g., account number, photographer's zip code or area code, etc.).

At step 110, image data is analyzed to identify any characteristics that may be of interest to users. Such characteristics may include, for example, eye color, words and sentences, a number or gender of persons, the hair color, time of day, lighting conditions, and so forth. For further example, at step 112, a facial recognition program as known in the art may be used to analyze any faces appearing in the photos at a sufficiently high resolution. At step 114, the images may be analyzed for the presence of any known

markers. And at step 116, other features and qualities of the image may be classified, for example, whether it is taken indoors or outdoors, whether it contains people, dogs, cats, or other animals, whether it contains automobiles, airplanes, or other objects, and so forth. At step 118, selected feature information and other source information is associated with each image and provided to any suitable relational database.

At step 120, requests specifying search criteria for photographic images are received. For example, a user looking for a photograph may visit a web site hosted by the system and fill out a search form specifying search criteria of interest. The criteria may include specific subject matter, times, dates, and locations. For example, "Disneyland AND Matterhorn AND blue eye AND child AND Jan. 1, 2004 AND morning" would search for a photograph or photographs taken at Disneyland's Matterhorn with a child who has blue eyes on the morning of Jan. 1, 2004.

At step 122, the image database is queried as known in the art, to identify images that at least partially match the search criteria. Such images may be presented, at step 124, to the user. For example, the user may be provided with a gallery of "thumbnail" (reduced-size) images generated from images that match the criteria. When the user identifies a photograph he wants to own, he can then download the full quality version, or order print(s). In a preferred implementation, the user is charged some amount of money that is split between the site owner and the photographer. Alternatively, the user may be charged in some other ways such as by viewing advertisements or by exchanging credits for downloads or by some other payment or a combination thereof. The price can be on a sliding scale depending on the quality of the photograph that the user downloads or the size or quality of the print. For example, a photograph may cost \$1.00 for 1024x768 resolution or \$2.00 for 1600x1200 resolution. Similarly, a print may cost \$1.00 for 3x5 or \$5 for 8x10. For downloads, an "upgrade" may be possible by charging the difference between the resolutions. An automated process may be used to reduce the number of pixels for purposes of having a lower quality version to sell.

In addition, a surcharge may be applied (even if no surcharge is required) for various enhancements to the photograph, such as "upconverting" to a higher resolution, eliminating red-eye, enhancing shadow, color, or brightness, etc.

Moreover, when a photographer takes photographs, he can be provided with printed cards bearing a Uniform Resource Locator (URL) and a unique code in order that the user would be able to enter into the web site to find the photograph or the series of photographs then being taken. The photographer can also distribute cards (the printed cards bearing the URL and the unique code or any other cards known to those skilled in the art) to people whom he photographs, whether intentionally or inadvertently. The photographer can further advertise the same (e.g., the URL and the unique code) via a mark on his camera, a T-shirt, or other means.

Fixed-place cameras can also serve this function (e.g., the of photographer). For example, a camera set up at an intersection in Hollywood might take and upload one photograph every 10 seconds.

Photographers can also be given accounts and be allowed to upload photographs to the site. The database is populated during this process, although additional database information can be added later by web site users. In addition, the number of times the photograph has been purchased and/or viewed can be a part of the database.

In one embodiment, the method and apparatus of the present invention should be capable of face recognition. It should assign values to various factors (i.e., ratio of distance between pupils to distance to tip of nose, etc.). It would add this information to the database for uploaded photographs. A user can then upload a photograph of the target person and the system would then generate the same data from that photograph and use it to limit the possible search targets.

A provider of the present method and apparatus or a photographer can also hand out pins, clothing, or other materials that are marked in a way that allows a computer to later recognize them in a photograph. FIG. 2 shows an exemplary distinctive marker 200 having an optical code 202, such as a bar code. The marker may have a color combination, distinctive shape, lettering, bar code, or other optical pattern, or some combination of the foregoing, that is unique to the marker. The marker may be computer generated, for example, and produced using an end-user's laser or ink-jet printer. The marker may be associated with specific information, for example, a particular user account, photographer, subject matter type, person, event, or location. Users can later search for photographs containing an image of the marker.

Numerous distribution mechanisms exist whereby photographs may be distributed from a source over a wide area network, such as the Internet. In some cases, the photographs are distributed using a centralized server system (such as Napster 2.0, eBay, or from a web site). In other cases, the photographs are distributed using a decentralized system (such as Gnutella). In a preferred implementation, the photographs are distributed to a person using the centralized server system or using a central hub.

Embodiments of the present invention operate in accordance with at least one web-hosting mechanism and a plurality of user mechanisms communicating over a wide area network, such as the Internet. Specifically, a web-hosting mechanism includes a database, an interface application and a server, wherein the server is adapted to communicate with a plurality of user mechanisms over a wide area network. It should be appreciated that the mechanisms described can include, but are not limited to, personal computers, mainframe computers, personal digital assistants, wireless communication devices and all other physical and wireless connected network devices generally known to those skilled in the art. It should further be understood that the database depicted can include, but is not limited, to RAM, cache memory, flash memory, magnetic disks, optical disks, removable disks, SCSI disks, IDE hard drives, tape drives, and all other types of data storage devices (and combinations thereof, such as RAID devices) generally known to those skilled in the art. In addition, the mechanisms described above are for purposes of example only and the invention is not limited thereby.

Having thus described several embodiments for photograph finding, it should be apparent to those skilled in the art that certain advantages of the system have been achieved. It should also be appreciated that various modifications, adaptations, and alternative embodiments thereof may be made within the scope and spirit of the present invention. For example, in the context of the present invention a photograph can include video, audio, and/or other representation of how people conceive of the world. The invention is defined by the following claims.

What is claimed is:

1. A method, comprising:

a computer system receiving, via a wide area network, a search request that includes an uploaded digital image;

5

the computer system determining one or more characteristics of the digital image, including source information for the digital image, wherein the source information indicates one or more of: a device used to capture the image or a geographic location at which the image was captured;

the computer system searching, using the determined one or more characteristics, information specifying characteristics of respective ones of a plurality of stored digital images;

the computer system selecting one or more of the plurality of stored digital images, based on a comparison of the determined one or more characteristics and one or more characteristics specified by the information, wherein the compared one or more characteristics include source information of respective ones of the stored digital images that indicates one or more of: devices used to capture the respective ones of the stored digital images or geographic locations at which the respective ones of the stored digital images were captured; and the computer system returning, via the wide area network, the selected one or more digital images.

2. The method of claim 1, wherein the plurality of stored digital images were submitted via the wide area network.

3. The method of claim 1, wherein the source information of the respective ones of the stored digital images further indicates a user account of a contributor of the respective ones of the stored digital images.

4. The method of claim 1, wherein the source information of the respective ones of the stored digital images further indicates a photographer that captured the respective ones of the stored digital images.

5. The method of claim 1, wherein the source information of the uploaded digital image indicates both a device used to capture the image and the geographic location at which the image was captured.

6. The method of claim 1, wherein the geographic location at which the uploaded digital image was captured was determined by a positioning device.

7. The method of claim 1, wherein the returning includes causing reduced-size versions of the selected one or more digital images to be displayed via a web site.

8. The method of claim 1, further comprising:

the computer system receiving one or more search parameters based on user input;

wherein the selecting is further based on a comparison of the one or more search parameters with parameters corresponding to respective ones of the plurality of stored digital images.

9. A system, comprising:

one or more processors; and

one or more memories having program instructions stored thereon that are executable by the one or more processors to cause the system to perform operations comprising:

receiving, via a wide area network, a search request that includes an uploaded digital image;

determining one or more characteristics of the digital image, including source information for the digital image, wherein the source information indicates one or more of: a device used to capture the image or a geographic location at which the image was captured;

searching, using the determined one or more characteristics, information specifying characteristics of respective ones of a plurality of stored digital images;

6

selecting one or more of the plurality of stored digital images, based on a comparison of the determined one or more characteristics and one or more characteristics specified by the information, wherein the compared one or more characteristics include source information of respective ones of the stored digital images that indicates one or more of: devices used to capture the respective ones of the stored digital images or geographic locations at which the respective ones of the stored digital images were captured; and

returning, via the wide area network, the selected one or more digital images.

10. The system of claim 9, wherein the plurality of stored digital images were submitted via the wide area network.

11. The system of claim 9, wherein the source information of the respective ones of the stored digital images further indicates a user account of a contributor of the respective ones of the stored digital images.

12. The system of claim 11, wherein the source information of the uploaded digital image indicates both a device used to capture the image and a geographic location at which the image was captured.

13. A non-transitory computer-readable medium having instructions stored thereon that are executable by a computing device to perform operations comprising:

receiving, via a wide area network, a search request that includes an uploaded digital image;

determining one or more characteristics of the digital image, including source information for the digital image, wherein the source information indicates one or more of: a device used to capture the image or a geographic location at which the image was captured; searching, using the determined one or more characteristics, information specifying characteristics of respective ones of a plurality of stored digital images;

selecting one or more of the plurality of stored digital images, based on a comparison of the determined one or more characteristics and one or more characteristics specified by the information, wherein the compared one or more characteristics include source information of respective ones of the stored digital images that indicates one or more of devices used to capture the respective ones of the stored digital images or geographic locations at which the respective ones of the stored digital images were captured; and

returning, via the wide area network, the selected one or more digital images.

14. The non-transitory computer-readable medium of claim 13, wherein the plurality of stored digital images were submitted via the wide area network.

15. The non-transitory computer-readable medium of claim 13, wherein the source information of the respective ones of the stored digital images further indicates a user account of a contributor of the respective ones of the stored digital images.

16. The non-transitory computer-readable medium of claim 13, wherein the source information of the uploaded digital image further indicates a photographer that captured an image.

17. The non-transitory computer-readable medium of claim 13, wherein the source information of the uploaded digital image indicates a device used to capture the image.

18. The non-transitory computer-readable medium of claim 13, wherein the geographic location at which the uploaded digital image was captured was determined by a positioning device.

19. The non-transitory computer-readable medium of claim 13, wherein the returning includes causing reduced-size versions of the selected one or more digital images to be displayed via a web site.

20. The non-transitory computer-readable medium of claim 13, wherein the operations further comprise:
receiving one or more search parameters based on user input;
wherein the selecting is further based on a comparison of the one or more search parameters with parameters
corresponding to respective ones of the plurality of stored digital images.

* * * * *